

WELD

RT-S Application Guide FORD

This fitment guide applies to vehicles with O.E. suspension/wheel wells/and brakes unless otherwise noted.

Other sizes and offsets are available/please call the Sales and Tech Department for more information

DISCLAIMER: DO NOT FIT 2015+ GT350 MUSTANG or 2020 GT500 Mustang

Mustang 2015+ GT with Brembo

15" Front Rotors, 5x4.5 (A) bolt circle

14mmx1.5 Stud and lug nuts. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Low	17x10.0	Rear only	64	8	70LB7100A80A	70LP7100A80A	71LB7100A80A	71LP7100A80A	72LB7100A80A	72LP7100A80A	76LB7100A80A	76LP7100A80A	77LB7100A80A	77LP7100A80A	79LB7100A80A	79LP7100A80A
	Low	17x10.5	Rear only	57	8	70LB7105A80A*	70LP7105A80A*	71LB7105A80A*	71LP7105A80A*	72LB7105A80A*	72LP7105A80A*	76LB7105A80A*	76LP7105A80A*	77LB7105A80A*	77LP7105A80A*	79LB7105A80A*	79LP7105A80A*

*Extremely aggressive fitment, watch tire size

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A	70HP8050A21A	71HB8050A21A	71HP8050A21A	72HB8050A21A	72HP8050A21A	76HB8050A21A	76HP8050A21A	77HB8050A21A	77HP8050A21A	79HB8050A21A	79HP8050A21A
	High	18x8.0	Front	15	5.1	70HB8080A51A	70HP8080A51A	71HB8080A51A	71HP8080A51A	72HB8080A51A	72HP8080A51A	76HB8080A51A	76HP8080A51A	77HB8080A51A	77HP8080A51A	79HB8080A51A	79HP8080A51A
	High	18x9.0	Front	28	6.1	70HB8090A61A	70HP8090A61A	71HB8090A61A	71HP8090A61A	72HB8090A61A	72HP8090A61A	76HB8090A61A	76HP8090A61A	77HB8090A61A	77HP8090A61A	79HB8090A61A	79HP8090A61A
	High	18x9.5	Front	50	6.6	70HB8095A66A	70HP8095A66A	71HB8095A66A	71HP8095A66A	72HB8095A66A	72HP8095A66A	76HB8095A66A	76HP8095A66A	77HB8095A66A	77HP8095A66A	79HB8095A66A	79HP8095A66A
	Low	18x9.5	Rear only	50	7.2	70LB8095A72A	70LP8095A72A	71LB8095A72A	71LP8095A72A	72LB8095A72A	72LP8095A72A	76LB8095A72A	76LP8095A72A	77LB8095A72A	77LP8095A72A	79LB8095A72A	79LP8095A72A
	Low	18x10.0	Rear only	56	7.7	70LB8100A77A	70LP8100A77A	71LB8100A77A	71LP8100A77A	72LB8100A77A	72LP8100A77A	76LB8100A77A	76LP8100A77A	77LB8100A77A	77LP8100A77A	79LB8100A77A	79LP8100A77A
	Low	18x11.0	Rear only	43	7.7	70LB8110A77A	70LP8110A77A	71LB8110A77A	71LP8110A77A	72LB8110A77A	72LP8110A77A	76LB8110A77A	76LP8110A77A	77LB8110A77A	77LP8110A77A	79LB8110A77A	79LP8110A77A
	High	18x11.0	Frt/Rear	53	8.1	70HB8110A81A*	70HP8110A81A*	71HB8110A81A*	71HP8110A81A*	72HB8110A81A*	72HP8110A81A*	76HB8110A81A*	76HP8110A81A*	77HB8110A81A*	77HP8110A81A*	79HB8110A81A*	79HP8110A81A*

*Square setup Requires long studs, 10-15mm spacer on front depending on strut

20"	High	20x7.0	Front	6	4.25	70HB0070A43A	70HP0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A	79HP0070A43A
	High	20x8.0	Front	19	5.25	70HB0080A53A	70HP0080A53A	71HB0080A53A	71HP0080A53A	72HB0080A53A	72HP0080A53A	76HB0080A53A	76HP0080A53A	77HB0080A53A	77HP0080A53A	79HB0080A53A	79HP0080A53A
	High	20x9.0	Front	32	6.25	70HB0090A63A	70HP0090A63A	71HB0090A63A	71HP0090A63A	72HB0090A63A	72HP0090A63A	76HB0090A63A	76HP0090A63A	77HB0090A63A	77HP0090A63A	79HB0090A63A	79HP0090A63A
	Low	20x10.5	Rear only	43	7.5	70LB0105A75A	70LP0105A75A	71LB0105A75A	71LP0105A75A	72LB0105A75A	72LP0105A75A	76LB0105A75A	76LP0105A75A	77LB0105A75A	77LP0105A75A	79LB0105A75A	79LP0105A75A

Mustang 2015+ base and GT with std 14" rotors.

5x4.5 (A) bolt circle

14mmx1.5 Stud and lug nuts. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-27	1.5	70MB-504A15A*	70MP-504A15A*	71MB-504A15A*	71MP-504A15A*	72MB-504A15A*	72MP-504A15A*	76MB-504A15A*	76MP-504A15A*	77MB-504A15A*	77MP-504A15A*	79MB-504A15A*	79MP-504A15A*
	Medium	15x9	Rear only	37	6.5	70MB-509A65A*	70MP-509A65A*	71MB-509A65A*	71MP-509A65A*	72MB-509A65A*	72MP-509A65A*	76MB-509A65A*	76MP-509A65A*	77MB-509A65A*	77MP-509A65A*	79MB-509A65A*	79MP-509A65A*

*Denotes: Requires Rear brake conversion and Rear Swaybar Relocation Brackets required; lower control arm bolt will need to be shaved down for clearance

*Requires small brake kit

17"	High	17x5.0	Front	-21	2.2	70HB7050A22A	70HP7050A22A	71HB7050A22A	71HP7050A22A	72HB7050A22A	72HP7050A22A	76HB7050A22A	76HP7050A22A	77HB7050A22A	77HP7050A22A	79HB7050A22A	79HP7050A22A
	High	17x8.0	Front	18	5.2	70HB7080A52A	70HP7080A52A	71HB7080A52A	71HP7080A52A	72HB7080A52A	72HP7080A52A	76HB7080A52A	76HP7080A52A	77HB7080A52A	77HP7080A52A	79HB7080A52A	79HP7080A52A
	High	17x9.0	Front	31	6.2	70HB7090A62A	70HP7090A62A	71HB7090A62A	71HP7090A62A	72HB7090A62A	72HP7090A62A	76HB7090A62A	76HP7090A62A	77HB7090A62A	77HP7090A62A	79HB7090A62A	79HP7090A62A
	High	17x9.5	Front	37	6.7	70HB7095A67A	70HP7095A67A	71HB7095A67A	71HP7095A67A	72HB7095A67A	72HP7095A67A	76HB7095A67A	76HP7095A67A	77HB7095A67A	77HP7095A67A	79HB7095A67A	79HP7095A67A
	Low	17x9.5	Rear only	44.5	7	70LB7095A70A	70LP7095A70A	71LB7095A70A	71LP7095A70A	72LB7095A70A	72LP7095A70A	76LB7095A70A	76LP7095A70A	77LB7095A70A	77LP7095A70A	79LB7095A70A	79LP7095A70A
	Low	17x10.0	Rear only	64	8	70LB7100A80A	70LP7100A80A	71LB7100A80A	71LP7100A80A	72LB7100A80A	72LP7100A80A	76LB7100A80A	76LP7100A80A	77LB7100A80A	77LP7100A80A	79LB7100A80A	79LP7100A80A

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A	70HP8050A21A	71HB8050A21A	71HP8050A21A	72HB8050A21A	72HP8050A21A	76HB8050A21A	76HP8050A21A	77HB8050A21A	77HP8050A21A	79HB8050A21A	79HP8050A21A
	High	18x8.0	Front	15	5.1	70HB8080A51A	70HP8080A51A	71HB8080A51A	71HP8080A51A	72HB8080A51A	72HP8080A51A	76HB8080A51A	76HP8080A51A	77HB8080A51A	77HP8080A51A	79HB8080A51A	79HP8080A51A
	High	18x9.0	Front	28	6.1	70HB8090A61A	70HP8090A61A	71HB8090A61A	71HP8090A61A	72HB8090A61A	72HP8090A61A	76HB8090A61A	76HP8090A61A	77HB8090A61A	77HP8090A61A	79HB8090A61A	79HP8090A61A
	High	18x9.5	Front	50	6.6	70HB8095A66A	70HP8095A66A	71HB8095A66A	71HP8095A66A	72HB8095A66A	72HP8095A66A	76HB8095A66A	76HP8095A66A	77HB8095A66A	77HP8095A66A	79HB8095A66A	79HP8095A66A
	Low	18x10	Rear only	31	6.7	70LB8100A67A	70LP8100A67A	71LB8100A67A	71LP8100A67A	72LB8100A67A	72LP8100A67A	76LB8100A67A	76LP8100A67A	77LB8100A67A	77LP8100A67A	79LB8100A67A	79LP8100A67A
	Low	18x11.0	Rear only	43	7.7	70LB8110A77A	70LP8110A77A	71LB8110A77A	71LP8110A77A	72LB8110A77A	72LP8110A77A	76LB8110A77A	76LP8110A77A	77LB8110A77A	77LP8110A77A	79LB8110A77A	79LP8110A77A
	High	18x11.0	Frt/Rear	53	8.1	70HB8110A81A*	70HP8110A81A*	71HB8110A81A*	71HP8110A81A*	72HB8110A81A*	72HP8110A81A*	76HB8110A81A*	76HP8110A81A*	77HB8110A81A*	77HP8110A81A*	79HB8110A81A*	79HP8110A81A*

*Square setup Requires long studs, 10-15mm spacer on front depending on strut

20"	High	20x7.0	Front	6	4.25	70HB0070A43A	70HP0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A	79HP0070A43A
	High	20x8.0	Front	19	5.25	70HB0080A53A	70HP0080A53A	71HB0080A53A	71HP0080A53A	72HB0080A53A	72HP0080A53A	76HB0080A53A	76HP0080A53A	77HB0080A53A	77HP0080A53A	79HB0080A53A	79HP0080A53A
	High	20x9.0	Front	32	6.25	70HB0090A63A	70HP0090A63A	71HB0090A63A	71HP0090A63A	72HB0090A63A	72HP0090A63A	76HB0090A63A	76HP0090A63A	77HB0090A63A	77HP0090A63A	79HB0090A63A	79HP0090A63A
	Low	20x10.5	Rear only	43	7.5	70LB0105A75A	70LP0105A75A	71LB0105A75A	71LP0105A75A	72LB0105A75A	72LP0105A75A	76LB0105A75A	76LP0105A75A	77LB0105A75A	77LP0105A75A	79LB0105A75A	79LP0105A75A

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - October 2020

WELD

Mustang GT500 (S197) 2013, 2014

5x4.5 (A) bolt circle

Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Low	17x9.5	Rear only	42	7	70LB7095A70A	70LB7095A70A	71LB7095A70A	71LP7095A70A	72LB7095A70A	72LP7095A70A	76LB7095A70A	76LP7095A70A	77LB7095A70A	77LP7095A70A	79LB7095A70A	79LP7095A70A
	Low	17x10.0	Rear only	48	7.5	70LB7100A75A	70LB7100A75A	71LB7100A75A	71LP7100A75A	72LB7100A75A	72LP7100A75A	76LB7100A75A	76LP7100A75A	77LB7100A75A	77LP7100A75A	79LB7100A75A	79LP7100A75A
	Low	17x10.5	Rear only	42	7.5	70LB7105A75A	70LB7105A75A	71LB7105A75A	71LP7105A75A	72LB7105A75A	72LP7105A75A	76LB7105A75A	76LP7105A75A	77LB7105A75A	77LP7105A75A	79LB7105A75A	79LP7105A75A
18"	High	18x5.0	Front	-23	2.1	70HB8050A21A*	70HB8050A21A*	71HB8050A21A*	71HP8050A21A*	72HB8050A21A*	72HP8050A21A*	76HB8050A21A*	76HP8050A21A*	77HB8050A21A*	77HP8050A21A*	79HB8050A21A*	79HP8050A21A*
	High	18x7.0	Front	3	4.1	70HB8070A41A*	70HB8070A41A*	71HB8070A41A*	71HP8070A41A*	72HB8070A41A*	72HP8070A41A*	76HB8070A41A*	76HP8070A41A*	77HB8070A41A*	77HP8070A41A*	79HB8070A41A*	79HP8070A41A*
	High	18x8.0	Front	15	5.1	70HB8080A51A*	70HB8080A51A*	71HB8080A51A*	71HP8080A51A*	72HB8080A51A*	72HP8080A51A*	76HB8080A51A*	76HP8080A51A*	77HB8080A51A*	77HP8080A51A*	79HB8080A51A*	79HP8080A51A*
	High	18x10.0	Frt/Rear	41	7.1	70HB8100A71A*	70HB8100A71A*	71HB8100A71A*	71HP8100A71A*	72HB8100A71A*	72HP8100A71A*	76HB8100A71A*	76HP8100A71A*	77HB8100A71A*	77HP8100A71A*	79HB8100A71A*	79HP8100A71A*
	Low	18x10.0	Rear only	56	7.7	70LB8100A77A	70LB8100A77A	71LB8100A77A	71LP8100A77A	72LB8100A77A	72LP8100A77A	76LB8100A77A	76LP8100A77A	77LB8100A77A	77LP8100A77A	79LB8100A77A	79LP8100A77A
Low	18x10.5	Rear only	50	7.7	70LB8105A77A	70LB8105A77A	71LB8105A77A	71LP8105A77A	72LB8105A77A	72LP8105A77A	76LB8105A77A	76LP8105A77A	77LB8105A77A	77LP8105A77A	79LB8105A77A	79LP8105A77A	

*Denotes: Front side of caliper on the outer piston will contact the back of the wheel spoke. 3-4mm Wheel spacer is required
 *Front High pad fitments with 18" Big Bell shells, after 7/1/18

20"	High	20x7.0	Front	6	4.25	70HB0070A43A	70HB0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A	79HP0070A43A
	High	20x8.0	Frt/Rear	19	5.25	70HB0080A53A	70HB0080A53A	71HB0080A53A	71HP0080A53A	72HB0080A53A	72HP0080A53A	76HB0080A53A	76HP0080A53A	77HB0080A53A	77HP0080A53A	79HB0080A53A	79HP0080A53A
	High	20x9.0	Frt/Rear	32	6.25	70HB0090A63A	70HB0090A63A	71HB0090A63A	71HP0090A63A	72HB0090A63A	72HP0090A63A	76HB0090A63A	76HP0090A63A	77HB0090A63A	77HP0090A63A	79HB0090A63A	79HP0090A63A
	High	20x10.0	Frt/Rear	43	7.25	70HB0100A73A	70HB0100A73A	71HB0100A73A	71HP0100A73A	72HB0100A73A	72HP0100A73A	76HB0100A73A	76HP0100A73A	77HB0100A73A	77HP0100A73A	79HB0100A73A	79HP0100A73A
	High	20x10.5	Rear only	50	7.75	70HB0105A78A	70HB0105A78A	71HB0105A78A	71HP0105A78A	72HB0105A78A	72HP0105A78A	76HB0105A78A	76HP0105A78A	77HB0105A78A	77HP0105A78A	79HB0105A78A	79HP0105A78A

Mustang GT500 (S197) 2006-2012

Brembo front brakes - 14" rotor, 5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-27	1.5	70MB-S04A15A*	70MP-S04A15A*	71MB-S04A15A*	71MP-S04A15A*	72MB-S04A15A*	72MP-S04A15A*	76MB-S04A15A*	76MP-S04A15A*	77MB-S04A15A*	77MP-S04A15A*	79MB-S04A15A*	79MP-S04A15A*
	Medium	15x9	Rear only	37	6.5	70MB-S09A65A*	70MP-S09A65A*	71MB-S09A65A*	71MP-S09A65A*	72MB-S09A65A*	72MP-S09A65A*	76MB-S09A65A*	76MP-S09A65A*	77MB-S09A65A*	77MP-S09A65A*	79MB-S09A65A*	79MP-S09A65A*
	Medium	15x10	Rear only	50	7.5	70MB-S10A75A*	70MP-S10A75A*	71MB-S10A75A*	71MP-S10A75A*	72MB-S10A75A*	72MP-S10A75A*	76MB-S10A75A*	76MP-S10A75A*	77MB-S10A75A*	77MP-S10A75A*	79MB-S10A75A*	79MP-S10A75A*

*Denotes: Steeda or BMR Rear Sway bar Relocation Brackets required
 *Requires small brake kit

17"	High	17x5.0	Front	-21	2.2	70HB7050A22A	70HP7050A22A	71HB7050A22A	71HP7050A22A	72HB7050A22A	72HP7050A22A	76HB7050A22A	76HP7050A22A	77HB7050A22A	77HP7050A22A	79HB7050A22A	79HP7050A22A
	High	17x7.0	Front	5	4.2	70HB7070A42A	70HP7070A42A	71HB7070A42A	71HP7070A42A	72HB7070A42A	72HP7070A42A	76HB7070A42A	76HP7070A42A	77HB7070A42A	77HP7070A42A	79HB7070A42A	79HP7070A42A
	High	17x8.0	Frt/Rear	18	5.2	70HB7080A52A	70HP7080A52A	71HB7080A52A	71HP7080A52A	72HB7080A52A	72HP7080A52A	76HB7080A52A	76HP7080A52A	77HB7080A52A	77HP7080A52A	79HB7080A52A	79HP7080A52A
	High	17x9.5	Frt/Rear	37	6.7	70HB7095A67A	70HP7095A67A	71HB7095A67A	71HP7095A67A	72HB7095A67A	72HP7095A67A	76HB7095A67A	76HP7095A67A	77HB7095A67A	77HP7095A67A	79HB7095A67A	79HP7095A67A
	Medium	17x10.0	Rear only	59	7.8	70MB7100A78A	70MP7100A78A	71MB7100A78A	71MP7100A78A	72MB7100A78A	72MP7100A78A	76MB7100A78A	76MP7100A78A	77MB7100A78A	77MP7100A78A	79MB7100A78A	79MP7100A78A

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A*	70HP8050A21A*	71HB8050A21A*	71HP8050A21A*	72HB8050A21A*	72HP8050A21A*	76HB8050A21A*	76HP8050A21A*	77HB8050A21A*	77HP8050A21A*	79HB8050A21A*	79HP8050A21A*
	High	18x7.0	Front	3	4.1	70HB8070A41A*	70HP8070A41A*	71HB8070A41A*	71HP8070A41A*	72HB8070A41A*	72HP8070A41A*	76HB8070A41A*	76HP8070A41A*	77HB8070A41A*	77HP8070A41A*	79HB8070A41A*	79HP8070A41A*
	High	18x8.0	Front	15	5.1	70HB8080A51A*	70HP8080A51A*	71HB8080A51A*	71HP8080A51A*	72HB8080A51A*	72HP8080A51A*	76HB8080A51A*	76HP8080A51A*	77HB8080A51A*	77HP8080A51A*	79HB8080A51A*	79HP8080A51A*
	High	18x10.0	Frt/Rear	41	7.1	70HB8100A71A*	70HP8100A71A*	71HB8100A71A*	71HP8100A71A*	72HB8100A71A*	72HP8100A71A*	76HB8100A71A*	76HP8100A71A*	77HB8100A71A*	77HP8100A71A*	79HB8100A71A*	79HP8100A71A*
	Medium	18x10.0	Rear only	56	7.7	70MB8100A77A	70MP8100A77A	71MB8100A77A	71MP8100A77A	72MB8100A77A	72MP8100A77A	76MB8100A77A	76MP8100A77A	77MB8100A77A	77MP8100A77A	79MB8100A77A	79MP8100A77A

*Front high pad fitment with 18" Big Bell shells after 7/1/18 and requires 1/4" spacer

20"	High	20x7.0	Front	6	4.25	70HB0070A43A	70HP0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A	79HP0070A43A
	High	20x8.0	Frt/Rear	19	5.25	70HB0080A53A	70HP0080A53A	71HB0080A53A	71HP0080A53A	72HB0080A53A	72HP0080A53A	76HB0080A53A	76HP0080A53A	77HB0080A53A	77HP0080A53A	79HB0080A53A	79HP0080A53A
	High	20x9.0	Frt/Rear	32	6.25	70HB0090A63A	70HP0090A63A	71HB0090A63A	71HP0090A63A	72HB0090A63A	72HP0090A63A	76HB0090A63A	76HP0090A63A	77HB0090A63A	77HP0090A63A	79HB0090A63A	79HP0090A63A
	High	20x10.0	Frt/Rear	44	7.25	70HB0100A73A	70HP0100A73A	71HB0100A73A	71HP0100A73A	72HB0100A73A	72HP0100A73A	76HB0100A73A	76HP0100A73A	77HB0100A73A	77HP0100A73A	79HB0100A73A	79HP0100A73A

WELD

Mustang GT (S197) 2011-2014

Brembo brakes - 14" front rotor, 5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x9	Rear only	37	6.5	70MB-509A65A [^]	70MP-509A65A [^]	71MB-509A65A [^]	71MP-509A65A [^]	72MB-509A65A [^]	72MP-509A65A [^]	76MB-509A65A [^]	76MP-509A65A [^]	77MB-509A65A [^]	77MP-509A65A [^]	79MB-509A65A [^]	79MP-509A65A [^]
	Medium	15x10	Rear only	50	7.5	70MB-510A75A [^]	70MP-510A75A [^]	71MB-510A75A [^]	71MP-510A75A [^]	72MB-510A75A [^]	72MP-510A75A [^]	76MB-510A75A [^]	76MP-510A75A [^]	77MB-510A75A [^]	77MP-510A75A [^]	79MB-510A75A [^]	79MP-510A75A [^]
	Medium	15x10	Rear only	50	7.5	70MB-510A75SB [^]	70MP-510A75SP [^]	71MB-510A75SB [^]	71MP-510A75SB [^]	72MB-510A75SB [^]	72MP-510A75SP [^]	76MB-510A75SB [^]	76MP-510A75SP [^]	77MB-510A75SB [^]	77MP-510A75SP [^]	79MB-510A75SB [^]	79MP-510A75SP [^]

[^]Denotes: Steeda or BMR Rear Sway Bar Relocation Brackets required

17"	High	17x5.0	Front	-21	2.2	70HB7050A22A	70HP7050A22A	71HB7050A22A	71HP7050A22A	72HB7050A22A	72HP7050A22A	76HB7050A22A	76HP7050A22A	77HB7050A22A	77HP7050A22A	79HB7050A22A	79HP7050A22A
	High	17x7.0	Front	5	4.2	70HB7070A42A	70HP7070A42A	71HB7070A42A	71HP7070A42A	72HB7070A42A	72HP7070A42A	76HB7070A42A	76HP7070A42A	77HB7070A42A	77HP7070A42A	79HB7070A42A	79HP7070A42A
	High	17x8.0	Frt/Rear	18	5.2	70HB7080A52A	70HP7080A52A	71HB7080A52A	71HP7080A52A	72HB7080A52A	72HP7080A52A	76HB7080A52A	76HP7080A52A	77HB7080A52A	77HP7080A52A	79HB7080A52A	79HP7080A52A
	Medium	17x10.0	Rear only	37	6.7	70HB7095A67A	70HP7095A67A	71HB7095A67A	71HP7095A67A	72HB7095A67A	72HP7095A67A	76HB7095A67A	76HP7095A67A	77HB7095A67A	77HP7095A67A	79HB7095A67A	79HP7095A67A

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A	70HP8050A21A	71HB8050A21A	71HP8050A21A	72HB8050A21A	72HP8050A21A	76HB8050A21A	76HP8050A21A	77HB8050A21A	77HP8050A21A	79HB8050A21A	79HP8050A21A
	High	18x7.0	Front	3	4.1	70HB8070A41A	70HP8070A41A	71HB8070A41A	71HP8070A41A	72HB8070A41A	72HP8070A41A	76HB8070A41A	76HP8070A41A	77HB8070A41A	77HP8070A41A	79HB8070A41A	79HP8070A41A
	High	18x8.0	Frt/Rear	15	5.1	70HB8080A51A	70HP8080A51A	71HB8080A51A	71HP8080A51A	72HB8080A51A	72HP8080A51A	76HB8080A51A	76HP8080A51A	77HB8080A51A	77HP8080A51A	79HB8080A51A	79HP8080A51A
	High	18x10.0	Frt/Rear	41	7.1	70HB8100A71A	70HP8100A71A	71HB8100A71A	71HP8100A71A	72HB8100A71A	72HP8100A71A	76HB8100A71A	76HP8100A71A	77HB8100A71A	77HP8100A71A	79HB8100A71A	79HP8100A71A

20"	High	20x7.0	Front	6	4.25	70HB0070A43A	70HP0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A	79HP0070A43A
	High	20x8.0	Frt/Rear	19	5.25	70HB0080A53A	70HP0080A53A	71HB0080A53A	71HP0080A53A	72HB0080A53A	72HP0080A53A	76HB0080A53A	76HP0080A53A	77HB0080A53A	77HP0080A53A	79HB0080A53A	79HP0080A53A
	High	20x9.0	Frt/Rear	32	6.25	70HB0090A63A	70HP0090A63A	71HB0090A63A	71HP0090A63A	72HB0090A63A	72HP0090A63A	76HB0090A63A	76HP0090A63A	77HB0090A63A	77HP0090A63A	79HB0090A63A	79HP0090A63A
	High	20x10.0	Frt/Rear	44	7.25	70HB0100A73A	70HP0100A73A	71HB0100A73A	71HP0100A73A	72HB0100A73A	72HP0100A73A	76HB0100A73A	76HP0100A73A	77HB0100A73A	77HP0100A73A	79HB0100A73A	79HP0100A73A

Mustang GT (S197) 2011-2014

Standard Ford brakes - 13" front rotor 5x4.5 (A) bolt circle. A-Star/Magnum/& V-Series 17x4.5 front will also fit.

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x9	Rear only	37	6.5	70MB-509A65A [^]	70MP-509A65A [^]	71MB-509A65A [^]	71MP-509A65A [^]	72MB-509A65A [^]	72MP-509A65A [^]	76MB-509A65A [^]	76MP-509A65A [^]	77MB-509A65A [^]	77MP-509A65A [^]	79MB-509A65A [^]	79MP-509A65A [^]
	Medium	15x10	Rear only	50	7.5	70MB-510A75A [^]	70MP-510A75A [^]	71MB-510A75A [^]	71MP-510A75A [^]	72MB-510A75A [^]	72MP-510A75A [^]	76MB-510A75A [^]	76MP-510A75A [^]	77MB-510A75A [^]	77MP-510A75A [^]	79MB-510A75A [^]	79MP-510A75A [^]

[^]Denotes Steeda or BMR Rear Sway Bar Relocation Brackets required

17"	Low	17x5.0	Front	-3	2.9	70LB7050A30A	70LP7050A30A	71LB7050A30A	71LP7050A30A	72LB7050A30A	72LP7050A30A	76LB7050A30A	76LP7050A30A	77LB7050A30A	77LP7050A30A	79LB7050A30A	79LP7050A30A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	23	5.4	70LB7080A55A	70LP7080A55A	71LB7080A55A	71LP7080A55A	72LB7080A55A	72LP7080A55A	76LB7080A55A	76LP7080A55A	77LB7080A55A	77LP7080A55A	79LB7080A55A	79LP7080A55A
	Low	17x9.5	Frt/Rear	42	6.9	70LB7095A70A	70LP7095A70A	71LB7095A70A	71LP7095A70A	72LB7095A70A	72LP7095A70A	76LB7095A70A	76LP7095A70A	77LB7095A70A	77LP7095A70A	79LB7095A70A	79LP7095A70A
	Low	17x10.0	Rear only	48	7.4	70LB7100A75A	70LP7100A75A	71LB7100A75A	71LP7100A75A	72LB7100A75A	72LP7100A75A	76LB7100A75A	76LP7100A75A	77LB7100A75A	77LP7100A75A	79LB7100A75A	79LP7100A75A

[^]Denotes edge fit / watch tire width / test wheel on car before mounting tire

18"	Low	18x5.0	Front	-8	2.7	70LB8050A27A	70LP8050A27A	71LB8050A27A	71LP8050A27A	72LB8050A27A	72LP8050A27A	76LB8050A27A	76LP8050A27A	77LB8050A27A	77LP8050A27A	79LB8050A27A	79LP8050A27A
	Low	18x7.0	Front	18	4.7	70LB8070A47A	70LP8070A47A	71LB8070A47A	71LP8070A47A	72LB8070A47A	72LP8070A47A	76LB8070A47A	76LP8070A47A	77LB8070A47A	77LP8070A47A	79LB8070A47A	79LP8070A47A
	Low	18x8.0	Frt/Rear	30	5.7	70LB8080A57A	70LP8080A57A	71LB8080A57A	71LP8080A57A	72LB8080A57A	72LP8080A57A	76LB8080A57A	76LP8080A57A	77LB8080A57A	77LP8080A57A	79LB8080A57A	79LP8080A57A
	Low	18x9.0	Frt/Rear	44	6.7	70LB8090A67A	70LP8090A67A	71LB8090A67A	71LP8090A67A	72LB8090A67A	72LP8090A67A	76LB8090A67A	76LP8090A67A	77LB8090A67A	77LP8090A67A	79LB8090A67A	79LP8090A67A
	Low	18x10.0	Rear only	43	7.2	70LB8100A72A [^]	70LP8100A72A [^]	71LB8100A72A [^]	71LP8100A72A [^]	72LB8100A72A [^]	72LP8100A72A [^]	76LB8100A72A [^]	76LP8100A72A [^]	77LB8100A72A [^]	77LP8100A72A [^]	79LB8100A72A [^]	79LP8100A72A [^]

[^]Denotes edge fit / watch tire width / test wheel on car before mounting tire

20"	Low	20x7.0	Front	13	4.5	70LB0070A45A	70LP0070A45A	71LB0070A45A	71LP0070A45A	72LB0070A45A	72LP0070A45A	76LB0070A45A	76LP0070A45A	77LB0070A45A	77LP0070A45A	79LB0070A45A	79LP0070A45A
	Low	20x8.0	Frt/Rear	25	5.5	70LB0080A55A	70LP0080A55A	71LB0080A55A	71LP0080A55A	72LB0080A55A	72LP0080A55A	76LB0080A55A	76LP0080A55A	77LB0080A55A	77LP0080A55A	79LB0080A55A	79LP0080A55A
	Low	20x9.0	Frt/Rear	39	6.5	70LB0090A65A	70LP0090A65A	71LB0090A65A	71LP0090A65A	72LB0090A65A	72LP0090A65A	76LB0090A65A	76LP0090A65A	77LB0090A65A	77LP0090A65A	79LB0090A65A	79LP0090A65A
	Low	20x9.5	Frt/Rear	45	7	70LB0095A70A	70LP0095A70A	71LB0095A70A	71LP0095A70A	72LB0095A70A	72LP0095A70A	76LB0095A70A	76LP0095A70A	77LB0095A70A	77LP0095A70A	79LB0095A70A	79LP0095A70A
	Low	20x10.0	Rear only	51	7.5	70LB0100A75A	70LP0100A75A	71LB0100A75A	71LP0100A75A	72LB0100A75A	72LP0100A75A	76LB0100A75A	76LP0100A75A	77LB0100A75A	77LP0100A75A	79LB0100A75A	79LP0100A75A

WELD

Mustang GT (S197) 2005-2010

Also Mustang GT 2011+ Base 5x4.5 (A) bolt circle 12.44" front rotor. 15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. A-Star/Magnum/& V-Series 17x4.5 front will also fit. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-27	1.5	70MB-504A15A*	70MP-504A15A*	71MB-504A15A*	71MP-504A15A*	72MB-504A15A*	72MP-504A15A*	76MB-504A15A*	76MP-504A15A*	77MB-504A15A*	77MP-504A15A*	79MB-504A15A*	79MP-504A15A*
	Medium	15x8	Rear only	25	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15x9	Rear only	37	6.5	70MB-509A65A*	70MP-509A65A*	71MB-509A65A*	71MP-509A65A*	72MB-509A65A*	72MP-509A65A*	76MB-509A65A*	76MP-509A65A*	77MB-509A65A*	77MP-509A65A*	79MB-509A65A*	79MP-509A65A*
	Medium	15x10	Rear only	50	7.5	70MB-510A75A*	70MP-510A75A*	71MB-510A75A*	71MP-510A75A*	72MB-510A75A*	72MP-510A75A*	76MB-510A75A*	76MP-510A75A*	77MB-510A75A*	77MP-510A75A*	79MB-510A75A*	79MP-510A75A*

*A 15x4 Front wheel is the only option, any wider will hit the caliper.
 *Denotes Steeda or BMR Rear Sway bar Relocation Brackets required

17"	Medium	17x4.7	Front	1	2.9	70MB7047A29A	70MP7047A29A	71MB7047A29A	71MP7047A29A	72MB7047A29A	72MP7047A29A	76MB7047A29A	76MP7047A29A	77MB7047A29A	77MP7047A29A	79MB7047A29A	79MP7047A29A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	33	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
	Medium	17x9.5	Frt/Rear	40	6.8	70MB7095A68A	70MP7095A68A	71MB7095A68A	71MP7095A68A	72MB7095A68A	72MP7095A68A	76MB7095A68A	76MP7095A68A	77MB7095A68A	77MP7095A68A	79MB7095A68A	79MP7095A68A
	Medium	17x10.0	Rear only	58	7.8	70MB7100A78A	70MP7100A78A	71MB7100A78A	71MP7100A78A	72MB7100A78A	72MP7100A78A	76MB7100A78A	76MP7100A78A	77MB7100A78A	77MP7100A78A	79MB7100A78A	79MP7100A78A
	Medium	17x10.5	Rear only	53	7.8	70MB7105A78A*	70MP7105A78A*	71MB7105A78A*	71MP7105A78A*	72MB7105A78A*	72MP7105A78A*	76MB7105A78A*	76MP7105A78A*	77MB7105A78A*	77MP7105A78A*	79MB7105A78A*	79MP7105A78A*

*Denotes edge fit / watch tire width / test wheel on car before mounting tire

18"	Medium	18x5.0	Front	6	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A	79MP8050A32A
	Medium	18x7.0	Front	18	4.7	70MB8070A47A	70MP8070A47A	71MB8070A47A	71MP8070A47A	72MB8070A47A	72MP8070A47A	76MB8070A47A	76MP8070A47A	77MB8070A47A	77MP8070A47A	79MB8070A47A	79MP8070A47A
	Medium	18x8.0	Frt/Rear	30	5.7	70MB8080A57A	70MP8080A57A	71MB8080A57A	71MP8080A57A	72MB8080A57A	72MP8080A57A	76MB8080A57A	76MP8080A57A	77MB8080A57A	77MP8080A57A	79MB8080A57A	79MP8080A57A
	Medium	18x9.5	Frt/Rear	37	6.7	70MB8095A67A*	70MP8095A67A*	71MB8095A67A*	71MP8095A67A*	72MB8095A67A*	72MP8095A67A*	76MB8095A67A*	76MP8095A67A*	77MB8095A67A*	77MP8095A67A*	79MB8095A67A*	79MP8095A67A*
	Medium	18x10.0	Rear only	56	7.7	70MB8100A77A	70MP8100A77A	71MB8100A77A	71MP8100A77A	72MB8100A77A	72MP8100A77A	76MB8100A77A	76MP8100A77A	77MB8100A77A	77MP8100A77A	79MB8100A77A	79MP8100A77A
	Medium	18x10.5	Rear only	50	7.7	70MB8105A77A	70MP8105A77A	71MB8105A77A	71MP8105A77A	72MB8105A77A	72MP8105A77A	76MB8105A77A	76MP8105A77A	77MB8105A77A	77MP8105A77A	79MB8105A77A	79MP8105A77A

*Denotes edge fit / watch tire width / test wheel on car before mounting tire

20"	Medium	20x7.0	Front	10	4.4	70MB0070A44A	70MP0070A44A	71MB0070A44A	71MP0070A44A	72MB0070A44A	72MP0070A44A	76MB0070A44A	76MP0070A44A	77MB0070A44A	77MP0070A44A	79MB0070A44A	79MP0070A44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080A54A	70MP0080A54A	71MB0080A54A	71MP0080A54A	72MB0080A54A	72MP0080A54A	76MB0080A54A	76MP0080A54A	77MB0080A54A	77MP0080A54A	79MB0080A54A	79MP0080A54A
	Medium	20x9.5	Frt/Rear	42	6.9	70MB0095A69A*	70MP0095A69A*	71MB0095A69A*	71MP0095A69A*	72MB0095A69A*	72MP0095A69A*	76MB0095A69A*	76MP0095A69A*	77MB0095A69A*	77MP0095A69A*	79MB0095A69A*	79MP0095A69A*
	Medium	20x10.0	Rear only	48	7.4	70MB0100A74A	70MP0100A74A	71MB0100A74A	71MP0100A74A	72MB0100A74A	72MP0100A74A	76MB0100A74A	76MP0100A74A	77MB0100A74A	77MP0100A74A	79MB0100A74A	79MP0100A74A
	Medium	20x11.0	Rear only	61	8.4	70MB0110A84A	70MP0110A84A	71MB0110A84A	71MP0110A84A	72MB0110A84A	72MP0110A84A	76MB0110A84A	76MP0110A84A	77MB0110A84A	77MP0110A84A	79MB0110A84A	79MP0110A84A

*Denotes edge fit / watch tire width / test wheel on car before mounting tire

Mustang Base (S197) 2005-2010, 2011+ Base-use 2005-10 GT App

5x4.5 (A) bolt circle 11" front rotor 2005-2010.

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. A-Star/Magnum/& V-Series 17x4.5 front will also fit. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-27	1.5	70MB-504A15A*	70MP-504A15A*	71MB-504A15A*	71MP-504A15A*	72MB-504A15A*	72MP-504A15A*	76MB-504A15A*	76MP-504A15A*	77MB-504A15A*	77MP-504A15A*	79MB-504A15A*	79MP-504A15A*
	Medium	15x8	Rear only	25	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15x9	Rear only	37	6.5	70MB-509A65A*	70MP-509A65A*	71MB-509A65A*	71MP-509A65A*	72MB-509A65A*	72MP-509A65A*	76MB-509A65A*	76MP-509A65A*	77MB-509A65A*	77MP-509A65A*	79MB-509A65A*	79MP-509A65A*
	Medium	15x10	Rear only	50	7.5	70MB-510A75A*	70MP-510A75A*	71MB-510A75A*	71MP-510A75A*	72MB-510A75A*	72MP-510A75A*	76MB-510A75A*	76MP-510A75A*	77MB-510A75A*	77MP-510A75A*	79MB-510A75A*	79MP-510A75A*

*A 15x4 Front wheel is the only option, any wider will hit the caliper.
 *Denotes Steeda or BMR Rear Sway bar Relocation Brackets required

17"	Medium	17x4.7	Front	1	2.9	70MB7047A29A	70MP7047A29A	71MB7047A29A	71MP7047A29A	72MB7047A29A	72MP7047A29A	76MB7047A29A	76MP7047A29A	77MB7047A29A	77MP7047A29A	79MB7047A29A	79MP7047A29A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	33	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
	Medium	17x9.5	Frt/Rear	46	6.8	70MB7090A68A	70MP7090A68A	71MB7090A68A	71MP7090A68A	72MB7090A68A	72MP7090A68A	76MB7090A68A	76MP7090A68A	77MB7090A68A	77MP7090A68A	79MB7090A68A	79MP7090A68A
	Medium	17x10.0	Rear only	58	7.8	70MB7100A78A	70MP7100A78A	71MB7100A78A	71MP7100A78A	72MB7100A78A	72MP7100A78A	76MB7100A78A	76MP7100A78A	77MB7100A78A	77MP7100A78A	79MB7100A78A	79MP7100A78A
	Medium	17x10.5	Rear only	53	7.8	70MB7105A78A*	70MP7105A78A*	71MB7105A78A*	71MP7105A78A*	72MB7105A78A*	72MP7105A78A*	76MB7105A78A*	76MP7105A78A*	77MB7105A78A*	77MP7105A78A*	79MB7105A78A*	79MP7105A78A*

*Denotes edge fit / watch tire width / test wheel on car before mounting tire

18"	Medium	18x5.0	Front	6	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A	79MP8050A32A
	Medium	18x7.0	Front	18	4.7	70MB8070A47A	70MP8070A47A	71MB8070A47A	71MP8070A47A	72MB8070A47A	72MP8070A47A	76MB8070A47A	76MP8070A47A	77MB8070A47A	77MP8070A47A	79MB8070A47A	79MP8070A47A
	Medium	18x8.0	Frt/Rear	30	5.7	70MB8080A57A	70MP8080A57A	71MB8080A57A	71MP8080A57A	72MB8080A57A	72MP8080A57A	76MB8080A57A	76MP8080A57A	77MB8080A57A	77MP8080A57A	79MB8080A57A	79MP8080A57A
	Medium	18x9.5	Frt/Rear	37	6.7	70MB8095A67A*	70MP8095A67A*	71MB8095A67A*	71MP8095A67A*	72MB8095A67A*	72MP8095A67A*	76MB8095A67A*	76MP8095A67A*	77MB8095A67A*	77MP8095A67A*	79MB8095A67A*	79MP8095A67A*
	Medium	18x10.0	Rear only	56	7.7	70MB8100A77A	70MP8100A77A	71MB8100A77A	71MP8100A77A	72MB8100A77A	72MP8100A77A	76MB8100A77A	76MP8100A77A	77MB8100A77A	77MP8100A77A	79MB8100A77A	79MP8100A77A
	Medium	18x10.5	Rear only	50	7.7	70MB8105A77A	70MP8105A77A	71MB8105A77A	71MP8105A77A	72MB8105A77A	72MP8105A77A	76MB8105A77A	76MP8105A77A	77MB8105A77A	77MP8105A77A	79MB8105A77A	79MP8105A77A

*Denotes edge fit / watch tire width / test wheel on car before mounting tire

20"	Medium	20x7.0	Front	10	4.4	70MB0070A44A	70MP0070A44A	71MB0070A44A	71MP0070A44A	72MB0070A44A	72MP0070A44A	76MB0070A44A	76MP0070A44A	77MB0070A44A	77MP0070A44A	79MB0070A44A	79MP0070A44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080A54A	70MP0080A54A	71MB0080A54A	71MP0080A54A	72MB0080A54A	72MP0080A54A	76MB0080A54A	76MP0080A54A	77MB0080A54A	77MP0080A54A	79MB0080A54A	79MP0080A54A
	Medium	20x9.5	Frt/Rear	42	6.9	70MB0095A69A*	70MP0095A69A*	71MB0095A69A*	71MP0095A69A*	72MB0095A69A*	72MP0095A69A*	76MB0095A69A*	76MP0095A69A*	77MB0095A69A*	77MP0095A69A*	79MB0095A69A*	79MP0095A69A*
	Medium	20x10.0	Rear only	48	7.4	70MB0100A74A	70MP0100A74A	71MB0100A74A	71MP0100A74A	72MB0100A74A	72MP0100A74A	76MB0100A74A	76MP0100A74A	77MB0100A74A	77MP0100A74A	79MB0100A74A	79MP0100A74A
	Medium	20x10.5	Rear only	55	7.9	70MB0105A79A	70MP0105A79A	71MB0105A79A	71MP0105A79A	72MB0105A79A	72MP0105A79A	76MB					

WELD

Mustang Cobra/Bullet/Mach1 1994-2004 (SN95)

5x4.5 (A) bolt circle - 13" front rotor. 15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable.
A-Star/Magnum/V-Series 17x4.5 front will also fit. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x8	Rear only	25	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15x9	Rear only	13	5.5	70MB-509A55A	70MP-509A55A	71MB-509A55A	71MP-509A55A	72MB-509A55A	72MP-509A55A	76MB-509A55A	76MP-509A55A	77MB-509A55A	77MP-509A55A	79MB-509A55A	79MP-509A55A
	Medium	15x10.33	Rear only	21	6.5	70MB-510A65A**	70MP-510A65A**	71MB-510A65A**	71MP-510A65A**	72MB-510A65A**	72MP-510A65A**	76MB-510A65A**	76MP-510A65A**	77MB-510A65A**	77MP-510A65A**	79MB-510A65A**	79MP-510A65A**
** Denotes that 1/2 wheel spacer is required with longer wheel studs plus caliper banjo fitting nut will need to be reduced to half its current size & fitting itself rounded on corner closest to the wheel. Stock rear outer tie rod will need to be replaced with aftermarket. Other mods may be required & will vary per car. Trial fit wheel before mounting tire.																	
17"	Medium	17x4.5	Front	-14	2.2	70MB7045A22A	70MP7045A22A	71MB7045A22A	71MP7045A22A	72MB7045A22A	72MP7045A22A	76MB7045A22A	76MP7045A22A	77MB7045A22A	77MP7045A22A	79MB7045A22A	79MP7045A22A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	33	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
	Medium	17x9.0	Rear only	20	5.8	70MB7090A58A	70MP7090A58A	71MB7090A58A	71MP7090A58A	72MB7090A58A	72MP7090A58A	76MB7090A58A	76MP7090A58A	77MB7090A58A	77MP7090A58A	79MB7090A58A	79MP7090A58A
	Medium	17x10.0	Rear only	21	6.3	70MB7100A63A^	70MP7100A63A^	71MB7100A63A^	71MP7100A63A^	72MB7100A63A^	72MP7100A63A^	76MB7100A63A^	76MP7100A63A^	77MB7100A63A^	77MP7100A63A^	79MB7100A63A^	79MP7100A63A^
^Denotes edge fit / watch tire width / test wheel on car before mounting tire																	
18"	Medium	18x5.0	Front	6	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A	79MP8050A32A
	Medium	18x7.0	Front	5	4.2	70MB8070A42A	70MP8070A42A	71MB8070A42A	71MP8070A42A	72MB8070A42A	72MP8070A42A	76MB8070A42A	76MP8070A42A	77MB8070A42A	77MP8070A42A	79MB8070A42A	79MP8070A42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080A52A	70MP8080A52A	71MB8080A52A	71MP8080A52A	72MB8080A52A	72MP8080A52A	76MB8080A52A	76MP8080A52A	77MB8080A52A	77MP8080A52A	79MB8080A52A	79MP8080A52A
	Medium	18x9.0	Frt/Rear	25	5.7	70MB8090A57A	70MP8090A57A	71MB8090A57A	71MP8090A57A	72MB8090A57A	72MP8090A57A	76MB8090A57A	76MP8090A57A	77MB8090A57A	77MP8090A57A	79MB8090A57A	79MP8090A57A
	Medium	18x10.0	Rear only	18	6.2	70MB8100A62A^	70MP8100A62A^	71MB8100A62A^	71MP8100A62A^	72MB8100A62A^	72MP8100A62A^	76MB8100A62A^	76MP8100A62A^	77MB8100A62A^	77MP8100A62A^	79MB8100A62A^	79MP8100A62A^
^Denotes edge fit / watch tire width / test wheel on car before mounting tire																	
20"	Medium	20x7.0	Front	10	4.4	70MB0070A44A	70MP0070A44A	71MB0070A44A	71MP0070A44A	72MB0070A44A	72MP0070A44A	76MB0070A44A	76MP0070A44A	77MB0070A44A	77MP0070A44A	79MB0070A44A	79MP0070A44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080A54A	70MP0080A54A	71MB0080A54A	71MP0080A54A	72MB0080A54A	72MP0080A54A	76MB0080A54A	76MP0080A54A	77MB0080A54A	77MP0080A54A	79MB0080A54A	79MP0080A54A
	Medium	20x9.0	Frt/Rear	30	5.9	70MB0090A59A	70MP0090A59A	71MB0090A59A	71MP0090A59A	72MB0090A59A	72MP0090A59A	76MB0090A59A	76MP0090A59A	77MB0090A59A	77MP0090A59A	79MB0090A59A	79MP0090A59A
	Medium	20x9.5	Rear only	29	6.4	70MB0095A64A	70MP0095A64A	71MB0095A64A	71MP0095A64A	72MB0095A64A	72MP0095A64A	76MB0095A64A	76MP0095A64A	77MB0095A64A	77MP0095A64A	79MB0095A64A	79MP0095A64A
	Medium	20x10.0	Rear only	23	6.4	70MB0100A64A^	70MP0100A64A^	71MB0100A64A^	71MP0100A64A^	72MB0100A64A^	72MP0100A64A^	76MB0100A64A^	76MP0100A64A^	77MB0100A64A^	77MP0100A64A^	79MB0100A64A^	79MP0100A64A^
^Denotes edge fit / watch tire width / test wheel on car before mounting tire																	

Mustang (SN95) GT & Base 1994-2004

5x4.5 (A) bolt circle
15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-26	1.5	70MB-504A15A	70MP-504A15A	71MB-504A15A	71MP-504A15A	72MB-504A15A	72MP-504A15A	76MB-504A15A	76MP-504A15A	77MB-504A15A	77MP-504A15A	79MB-504A15A	79MP-504A15A
	Medium	15x5.33	Front	-16	2.5	70MB-505A25A	70MP-505A25A	71MB-505A25A	71MP-505A25A	72MB-505A25A	72MP-505A25A	76MB-505A25A	76MP-505A25A	77MB-505A25A	77MP-505A25A	79MB-505A25A	79MP-505A25A
	Medium	15x6.33	Front	-3	3.5	70MB-506A35A	70MP-506A35A	71MB-506A35A	71MP-506A35A	72MB-506A35A	72MP-506A35A	76MB-506A35A	76MP-506A35A	77MB-506A35A	77MP-506A35A	79MB-506A35A	79MP-506A35A
	Medium	15x7.33	Front	10	4.5	70MB-507A45A	70MP-507A45A	71MB-507A45A	71MP-507A45A	72MB-507A45A	72MP-507A45A	76MB-507A45A	76MP-507A45A	77MB-507A45A	77MP-507A45A	79MB-507A45A	79MP-507A45A
	Medium	15x8	Frt/Rear	25	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15x9	Rear only	25	6.5	70MB-509A65A	70MP-509A65A	71MB-509A65A	71MP-509A65A	72MB-509A65A	72MP-509A65A	76MB-509A65A	76MP-509A65A	77MB-509A65A	77MP-509A65A	79MB-509A65A	79MP-509A65A
Medium	15x10.33	Rear only	21	6.5	70MB-510A65A**	70MP-510A65A**	71MB-510A65A**	71MP-510A65A**	72MB-510A65A**	72MP-510A65A**	76MB-510A65A**	76MP-510A65A**	77MB-510A65A**	77MP-510A65A**	79MB-510A65A**	79MP-510A65A**	
**Denotes edge fit / watch tire width / test wheel on car before mounting tire																	
17"	Medium	17x4.5	Front	-14	2.2	70MB7045A22A	70MP7045A22A	71MB7045A22A	71MP7045A22A	72MB7045A22A	72MP7045A22A	76MB7045A22A	76MP7045A22A	77MB7045A22A	77MP7045A22A	79MB7045A22A	79MP7045A22A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	33	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
	Medium	17x9.0	Rear only	20	5.8	70MB7090A58A	70MP7090A58A	71MB7090A58A	71MP7090A58A	72MB7090A58A	72MP7090A58A	76MB7090A58A	76MP7090A58A	77MB7090A58A	77MP7090A58A	79MB7090A58A	79MP7090A58A
	Medium	17x10.0	Rear only	21	6.3	70MB7100A63A^	70MP7100A63A^	71MB7100A63A^	71MP7100A63A^	72MB7100A63A^	72MP7100A63A^	76MB7100A63A^	76MP7100A63A^	77MB7100A63A^	77MP7100A63A^	79MB7100A63A^	79MP7100A63A^
^Denotes edge fit / watch tire width / test wheel on car before mounting tire																	
18"	Medium	18x5.0	Front	6	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A	79MP8050A32A
	Medium	18x7.0	Front	5	4.2	70MB8070A42A	70MP8070A42A	71MB8070A42A	71MP8070A42A	72MB8070A42A	72MP8070A42A	76MB8070A42A	76MP8070A42A	77MB8070A42A	77MP8070A42A	79MB8070A42A	79MP8070A42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080A52A	70MP8080A52A	71MB8080A52A	71MP8080A52A	72MB8080A52A	72MP8080A52A	76MB8080A52A	76MP8080A52A	77MB8080A52A	77MP8080A52A	79MB8080A52A	79MP8080A52A
	Medium	18x9.0	Frt/Rear	25	5.7	70MB8090A57A	70MP8090A57A	71MB8090A57A	71MP8090A57A	72MB8090A57A	72MP8090A57A	76MB8090A57A	76MP8090A57A	77MB8090A57A	77MP8090A57A	79MB8090A57A	79MP8090A57A
	Medium	18x10.0	Rear only	18	6.2	70MB8100A62A^	70MP8100A62A^	71MB8100A62A^	71MP8100A62A^	72MB8100A62A^	72MP8100A62A^	76MB8100A62A^	76MP8100A62A^	77MB8100A62A^	77MP8100A62A^	79MB8100A62A^	79MP8100A62A^
^Denotes edge fit / watch tire width / test wheel on car before mounting tire																	
20"	Medium	20x7.0	Front	10	4.4	70MB0070A44A	70MP0070A44A	71MB0070A44A	71MP0070A44A	72MB0070A44A	72MP0070A44A	76MB0070A44A	76MP0070A44A	77MB0070A44A	77MP0070A44A	79MB0070A44A	79MP0070A44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080A54A	70MP0080A54A	71MB0080A54A	71MP0080A54A	72MB0080A54A	72MP0080A54A	76MB0080A54A	76MP0080A54A	77MB0080A54A	77MP0080A54A	79MB0080A54A	79MP0080A54A
	Medium	20x9.0	Frt/Rear	30	5.9	70MB0090A59A	70MP0090A59A	71MB0090A59A	71MP0090A59A	72MB0090A59A	72MP0090A59A	76MB0090A59A	76MP0090A59A	77MB0090A59A	77MP0090A59A	79MB0090A59A	79MP0090A59A
	Medium	20x10.0	Rear only	23	6.4	70MB0100A64A^	70MP0100A64A^	71MB0100A64A^	71MP0100A64A^	72MB0100A64A^	72MP0100A64A^	76MB0100A64A^	76MP0100A64A^	77MB0100A64A^	77MP0100A64A^	79MB0100A64A^	79MP0100A64A^
^Denotes edge fit / watch tire width / test wheel on car before mounting tire																	

WELD

Mustang Fox Cobra R 1993

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X8	Rear only	25	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15X9	Rear only	25	6.5	70MB-509A65A*	70MP-509A65A*	71MB-509A65A*	71MP-509A65A*	72MB-509A65A*	72MP-509A65A*	76MB-509A65A*	76MP-509A65A*	77MB-509A65A*	77MP-509A65A*	79MB-509A65A*	79MP-509A65A*
*Denotes exhaust modification and removal of quad shocks are required																	
17"	Medium	17x4.5	Front	-14	2.2	70MB7045A22A	70MP7045A22A	71MB7045A22A	71MP7045A22A	72MB7045A22A	72MP7045A22A	76MB7045A22A	76MP7045A22A	77MB7045A22A	77MP7045A22A	79MB7045A22A	79MP7045A22A
	Medium	17x7.0	Front	-20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	33	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
18"	Medium	18x8.5	Frt/Rear	27	5.8	70MB7085A58A	70MP7085A58A	71MB7085A58A	71MP7085A58A	72MB7085A58A	72MP7085A58A	76MB7085A58A	76MP7085A58A	77MB7085A58A	77MP7085A58A	79MB7085A58A	79MP7085A58A
	Medium	18x5.0	Front	6	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A	79MP8050A32A
	Medium	18x7.0	Front	5	4.2	70MB8070A42A	70MP8070A42A	71MB8070A42A	71MP8070A42A	72MB8070A42A	72MP8070A42A	76MB8070A42A	76MP8070A42A	77MB8070A42A	77MP8070A42A	79MB8070A42A	79MP8070A42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080A52A	70MP8080A52A	71MB8080A52A	71MP8080A52A	72MB8080A52A	72MP8080A52A	76MB8080A52A	76MP8080A52A	77MB8080A52A	77MP8080A52A	79MB8080A52A	79MP8080A52A
20"	Medium	18x9.0	Frt/Rear	25	5.7	70MB8090A57A	70MP8090A57A	71MB8090A57A	71MP8090A57A	72MB8090A57A	72MP8090A57A	76MB8090A57A	76MP8090A57A	77MB8090A57A	77MP8090A57A	79MB8090A57A	79MP8090A57A
	Medium	18x9.5	Rear only	24	6.2	70MB8095A62A	70MP8095A62A	71MB8095A62A	71MP8095A62A	72MB8095A62A	72MP8095A62A	76MB8095A62A	76MP8095A62A	77MB8095A62A	77MP8095A62A	79MB8095A62A	79MP8095A62A
	Medium	20x7.0	Front	10	4.4	70MB0070A44A	70MP0070A44A	71MB0070A44A	71MP0070A44A	72MB0070A44A	72MP0070A44A	76MB0070A44A	76MP0070A44A	77MB0070A44A	77MP0070A44A	79MB0070A44A	79MP0070A44A
Medium	20x8.0	Frt/Rear	23	5.4	70MB0080A54A	70MP0080A54A	71MB0080A54A	71MP0080A54A	72MB0080A54A	72MP0080A54A	76MB0080A54A	76MP0080A54A	77MB0080A54A	77MP0080A54A	79MB0080A54A	79MP0080A54A	
Medium	20x9.0	Frt/Rear	30	5.9	70MB0085A59A	70MP0085A59A	71MB0085A59A	71MP0085A59A	72MB0085A59A	72MP0085A59A	76MB0085A59A	76MP0085A59A	77MB0085A59A	77MP0085A59A	79MB0085A59A	79MP0085A59A	
Medium	20x9.5	Rear only	29	6.4	70MB0090A64A	70MP0090A64A	71MB0090A64A	71MP0090A64A	72MB0090A64A	72MP0090A64A	76MB0090A64A	76MP0090A64A	77MB0090A64A	77MP0090A64A	79MB0090A64A	79MP0090A64A	

Mustang FOX Base/GT/LX/Cobra Pace Car & Capri 1979-1993

4x4.25 (P) bolt circle. Conical Lugs required

1/2"RH20 Studs

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	0	2.5	N/A	N/A	71LB-504P25C	71LP-504P25C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x5	Front	13	2.5	N/A	N/A	71LB-505P35C	71LP-505P35C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x6.33	Front	-4	3.5	N/A	N/A	71LB-506P35C	71LP-506P35C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x7.33	Front	9	4.5	N/A	N/A	71LB-507P45C	71LP-507P45C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x8.33	Rear only	21	5.5	N/A	N/A	71LB-508P55C	71LP-508P55C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x9.33	Rear only	34	6.5	N/A	N/A	71LB-509P65C*	71LP-509P65C*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x10.33	Rear only	21	6.5	N/A	N/A	71LB-510P65C*	71LP-510P65C*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	*Denotes removal of quad shocks, exhaust modifications, and roll fenders																

Mustang FOX Base/GT/LX/Cobra Pace Car & Capri 1979-1993

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front		2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5	Front	13	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x6.33	Front	-4	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Front	9	4.5	70LB-507A35A	70LP-507A35A	71LB-507A35A	71LP-507A35A	72LB-507A35A	72LP-507A35A	76LB-507A35A	76LP-507A35A	77LB-507A35A	77LP-507A35A	79LB-507A35A	79LP-507A35A
	Low	15x8.33	Rear only	21	5.5	70LB-508A55A	70LP-508A55A	71LB-508A55A	71LP-508A55A	72LB-508A55A	72LP-508A55A	76LB-508A55A	76LP-508A55A	77LB-508A55A	77LP-508A55A	79LB-508A55A	79LP-508A55A
	Low	15x9.33	Rear only	34	6.5	70LB-509A65A*	70LP-509A65A*	71LB-509A65A*	71LP-509A65A*	72LB-509A65A*	72LP-509A65A*	76LB-509A65A*	76LP-509A65A*	77LB-509A65A*	77LP-509A65A*	79LB-509A65A*	79LP-509A65A*
Low	15x10.33	Rear only	21	6.5	70LB-510A65A*	70LP-510A65A*	71LB-510A65A*	71LP-510A65A*	72LB-510A65A*	72LP-510A65A*	76LB-510A65A*	76LP-510A65A*	77LB-510A65A*	77LP-510A65A*	79LB-510A65A*	79LP-510A65A*	
*Denotes removal of quad shocks, exhaust modifications, and roll fenders																	
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	23	5.4	70LB7080A55A	70LP7080A55A	71LB7080A55A	71LP7080A55A	72LB7080A55A	72LP7080A55A	76LB7080A55A	76LP7080A55A	77LB7080A55A	77LP7080A55A	79LB7080A55A	79LP7080A55A
Low	17x9.0	Frt/Rear	23	5.9	70LB7090A60A*	70LP7090A60A*	71LB7090A60A*	71LP7090A60A*	72LB7090A60A*	72LP7090A60A*	76LB7090A60A*	76LP7090A60A*	77LB7090A60A*	77LP7090A60A*	79LB7090A60A*	79LP7090A60A*	
*Denotes removal of quad shocks and exhaust modifications																	
18"	Low	18x5.0	Front	-8	2.7	70LB8050A27A	70LP8050A27A	71LB8050A27A	71LP8050A27A	72LB8050A27A	72LP8050A27A	76LB8050A27A	76LP8050A27A	77LB8050A27A	77LP8050A27A	79LB8050A27A	79LP8050A27A
	Low	18x7.0	Front	5	4.2	70LB8070A42A	70LP8070A42A	71LB8070A42A	71LP8070A42A	72LB8070A42A	72LP8070A42A	76LB8070A42A	76LP8070A42A	77LB8070A42A	77LP8070A42A	79LB8070A42A	79LP8070A42A
	Low	18x8.0	Frt/Rear	18	5.2	70LB8080A52A	70LP8080A52A	71LB8080A52A	71LP8080A52A	72LB8080A52A	72LP8080A52A	76LB8080A52A	76LP8080A52A	77LB8080A52A	77LP8080A52A	79LB8080A52A	79LP8080A52A
	Low	18x9.0	Rear only	30	6.2	70LB8090A62A*	70LP8090A62A*	71LB8090A62A*	71LP8090A62A*	72LB8090A62A*	72LP8090A62A*	76LB8090A62A*	76LP8090A62A*	77LB8090A62A*	77LP8090A62A*	79LB8090A62A*	79LP8090A62A*
*Denotes removal of quad shocks and exhaust modifications																	
20"	Low	20x7.0	Front	0	4	70LB0070A40A	70LP0070A40A	71LB0070A40A	71LP0070A40A	72LB0070A40A	72LP0070A40A	76LB0070A40A	76LP0070A40A	77LB0070A40A	77LP0070A40A	79LB0070A40A	79LP0070A40A
	Low	20x8.0	Frt/Rear	38	5	70LB0080A50A	70LP0080A50A	71LB0080A50A	71LP0080A50A	72LB0080A50A	72LP0080A50A	76LB0080A50A	76LP0080A50A	77LB0080A50A	77LP0080A50A	79LB0080A50A	79LP0080A50A
	Low	20x9.0	Rear only	25	6	70LB0090A60A*	70LP0090A60A*	71LB0090A60A*	71LP0090A60A*	72LB0090A60A*	72LP0090A60A*	76LB0090A60A*	76LP0090A60A*	77LB0090A60A*	77LP0090A60A*	79LB0090A60A*	79LP0090A60A*
*Denotes removal of quad shocks and exhaust modifications																	

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - October 2020

WELD

Mustang Fox/SVO 1984-1986

Only 5 lug Fox body, 5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20".

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-26	1.5	70MB-504A15A	70MP-504A15A	71MB-504A15A	71MP-504A15A	72MB-504A15A	72MP-504A15A	76MB-504A15A	76MP-504A15A	77MB-504A15A	77MP-504A15A	79MB-504A15A	79MP-504A15A
	Medium	15x5.33	Front	-16	2.5	70MB-505A25A	70MP-505A25A	71MB-505A25A	71MP-505A25A	72MB-505A25A	72MP-505A25A	76MB-505A25A	76MP-505A25A	77MB-505A25A	77MP-505A25A	79MB-505A25A	79MP-505A25A
	Medium	15x6.33	Front	-3	3.5	70MB-506A35A	70MP-506A35A	71MB-506A35A	71MP-506A35A	72MB-506A35A	72MP-506A35A	76MB-506A35A	76MP-506A35A	77MB-506A35A	77MP-506A35A	79MB-506A35A	79MP-506A35A
	Medium	15x7.33	Front	10	4.5	70MB-507A45A	70MP-507A45A	71MB-507A45A	71MP-507A45A	72MB-507A45A	72MP-507A45A	76MB-507A45A	76MP-507A45A	77MB-507A45A	77MP-507A45A	79MB-507A45A	79MP-507A45A
	Medium	15x8	Frt/Rear	26	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
Medium	15x9	Rear only	37	6.5	70MB-509A65A	70MP-509A65A	71MB-509A65A	71MP-509A65A	72MB-509A65A	72MP-509A65A	76MB-509A65A	76MP-509A65A	77MB-509A65A	77MP-509A65A	79MB-509A65A	79MP-509A65A	
17"	Medium	17x4.5	Front	-14	2.2	70MB7045A22A	70MP7045A22A	71MB7045A22A	71MP7045A22A	72MB7045A22A	72MP7045A22A	76MB7045A22A	76MP7045A22A	77MB7045A22A	77MP7045A22A	79MB7045A22A	79MP7045A22A
	Medium	17x6.0	Front	8	3.8	70MB7070A38A	70MP7070A38A	71MB7070A38A	71MP7070A38A	72MB7070A38A	72MP7070A38A	76MB7070A38A	76MP7070A38A	77MB7070A38A	77MP7070A38A	79MB7070A38A	79MP7070A38A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	34	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
	Medium	17x9.0	Rear only	46	6.3	70MB7090A63A	70MP7090A63A	71MB7090A63A	71MP7090A63A	72MB7090A63A	72MP7090A63A	76MB7090A63A	76MP7090A63A	77MB7090A63A	77MP7090A63A	79MB7090A63A	79MP7090A63A
18"	Medium	18x5.0	Front	-8	2.7	70MB8050A27A	70MP8050A27A	71MB8050A27A	71MP8050A27A	72MB8050A27A	72MP8050A27A	76MB8050A27A	76MP8050A27A	77MB8050A27A	77MP8050A27A	79MB8050A27A	79MP8050A27A
	Medium	18x7.0	Front	18	4.7	70MB8070A47A	70MP8070A47A	71MB8070A47A	71MP8070A47A	72MB8070A47A	72MP8070A47A	76MB8070A47A	76MP8070A47A	77MB8070A47A	77MP8070A47A	79MB8070A47A	79MP8070A47A
	Medium	18x8.0	Frt/Rear	30	5.7	70MB8080A57A	70MP8080A57A	71MB8080A57A	71MP8080A57A	72MB8080A57A	72MP8080A57A	76MB8080A57A	76MP8080A57A	77MB8080A57A	77MP8080A57A	79MB8080A57A	79MP8080A57A
	Medium	18x9.0	Rear only	30	6.2	70MB8090A62A*	70MP8090A62A*	71MB8090A62A*	71MP8090A62A*	72MB8090A62A*	72MP8090A62A*	76MB8090A62A*	76MP8090A62A*	77MB8090A62A*	77MP8090A62A*	79MB8090A62A*	79MP8090A62A*
	*Denotes removal of quad shocks and exhaust modifications																
20"	Medium	20x7.0	Front	23	4.9	70MB0070A49A	70MP0070A49A	71MB0070A49A	71MP0070A49A	72MB0070A49A	72MP0070A49A	76MB0070A49A	76MP0070A49A	77MB0070A49A	77MP0070A49A	79MB0070A49A	79MP0070A49A
	Medium	20x8.0	Frt/Rear	36	5.9	70MB0080A59A	70MP0080A59A	71MB0080A59A	71MP0080A59A	72MB0080A59A	72MP0080A59A	76MB0080A59A	76MP0080A59A	77MB0080A59A	77MP0080A59A	79MB0080A59A	79MP0080A59A
	Medium	20x9.0	Rear only	36	6.4	70MB0090A64A*	70MP0090A64A*	71MB0090A64A*	71MP0090A64A*	72MB0090A64A*	72MP0090A64A*	76MB0090A64A*	76MP0090A64A*	77MB0090A64A*	77MP0090A64A*	79MB0090A64A*	79MP0090A64A*
*Denotes removal of quad shocks and exhaust modifications																	

Mustang (All) 1968-1973

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	10	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Front	10	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
	Low	15x8.33	Frt/Rear	-1	4.5	70LB-508A45A	70LP-508A45A	71LB-508A45A	71LP-508A45A	72LB-508A45A	72LP-508A45A	76LB-508A45A	76LP-508A45A	77LB-508A45A	77LP-508A45A	79LB-508A45A	79LP-508A45A
	Low	15x9.33	Rear only	12	5.5	70LB-509A55A^	70LP-509A55A^	71LB-509A55A^	71LP-509A55A^	72LB-509A55A^	72LP-509A55A^	76LB-509A55A^	76LP-509A55A^	77LB-509A55A^	77LP-509A55A^	79LB-509A55A^	79LP-509A55A^
^Denotes the need to relocate rear stabilizer bar, if equipped. Except on the Boss 429																	
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	-3	3.9	70LB7070A40A	70LP7070A40A	71LB7070A40A	71LP7070A40A	72LB7070A40A	72LP7070A40A	76LB7070A40A	76LP7070A40A	77LB7070A40A	77LP7070A40A	79LB7070A40A	79LP7070A40A
	Low	17x8.0	Frt/Rear	10	4.9	70LB7080A50A	70LP7080A50A	71LB7080A50A	71LP7080A50A	72LB7080A50A	72LP7080A50A	76LB7080A50A	76LP7080A50A	77LB7080A50A	77LP7080A50A	79LB7080A50A	79LP7080A50A
Low	17x9.0	Rear only	10	5.4	70LB7090A55A^	70LP7090A55A^	71LB7090A55A^	71LP7090A55A^	72LB7090A55A^	72LP7090A55A^	76LB7090A55A^	76LP7090A55A^	77LB7090A55A^	77LP7090A55A^	79LB7090A55A^	79LP7090A55A^	
^Denotes the need to relocate rear stabilizer bar, if equipped. Except on the Boss 429																	
18"	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Frt/Rear	5	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.0	Rear only	5	5.2	70LB8090A52A^	70LP8090A52A^	71LB8090A52A^	71LP8090A52A^	72LB8090A52A^	72LP8090A52A^	76LB8090A52A^	76LP8090A52A^	77LB8090A52A^	77LP8090A52A^	79LB8090A52A^	79LP8090A52A^
^Denotes the need to relocate rear stabilizer bar, if equipped. Except on the Boss 429																	

WELD

Mustang (All) 1967-1968

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	0	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	-17	2.5	70LB-505A25A	70LP-505A25A	71LB-505A25A	71LP-505A25A	72LB-505A25A	72LP-505A25A	76LB-505A25A	76LP-505A25A	77LB-505A25A	77LP-505A25A	79LB-505A25A	79LP-505A25A
	Low	15x6.33	Front	-4	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Frt/Rear	9	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	10	4.9	70LB7080A50A	70LP7080A50A	71LB7080A50A	71LP7080A50A	72LB7080A50A	72LP7080A50A	76LB7080A50A	76LP7080A50A	77LB7080A50A	77LP7080A50A	79LB7080A50A	79LP7080A50A
	Low	17x9.0	Rear only	10	5.4	70LB7090A55A	70LP7090A55A	71LB7090A55A	71LP7090A55A	72LB7090A55A	72LP7090A55A	76LB7090A55A	76LP7090A55A	77LB7090A55A	77LP7090A55A	79LB7090A55A	79LP7090A55A
18"	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Frt/Rear	5	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.0	Rear only	5	5.2	70LB8090A52A*	70LP8090A52A*	71LB8090A52A*	71LP8090A52A*	72LB8090A52A*	72LP8090A52A*	76LB8090A52A*	76LP8090A52A*	77LB8090A52A*	77LP8090A52A*	79LB8090A52A*	79LP8090A52A*

*Denotes the need to relocate rear stabilizer bar, if equipped. Except on the Boss 429

Mustang (All) 1965-1966

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	0	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	-17	2.5	70LB-505A25A	70LP-505A25A	71LB-505A25A	71LP-505A25A	72LB-505A25A	72LP-505A25A	76LB-505A25A	76LP-505A25A	77LB-505A25A	77LP-505A25A	79LB-505A25A	79LP-505A25A
	Low	15x6.33	Front	-4	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Frt/Rear	9	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	10	4.9	70LB7080A45A	70LP7080A45A	71LB7080A45A	71LP7080A45A	72LB7080A45A	72LP7080A45A	76LB7080A45A	76LP7080A45A	77LB7080A45A	77LP7080A45A	79LB7080A45A	79LP7080A45A
	Low	17x9.0	Rear only	-3	4.4	70LB7080A45A	70LP7080A45A	71LB7080A45A	71LP7080A45A	72LB7080A45A	72LP7080A45A	76LB7080A45A	76LP7080A45A	77LB7080A45A	77LP7080A45A	79LB7080A45A	79LP7080A45A
18"	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Frt/Rear	5	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.0	Rear only	5	5.2	70LB8090A52A*	70LP8090A52A*	71LB8090A52A*	71LP8090A52A*	72LB8090A52A*	72LP8090A52A*	76LB8090A52A*	76LP8090A52A*	77LB8090A52A*	77LP8090A52A*	79LB8090A52A*	79LP8090A52A*

Thunderbird/Base/LX/Turbo Coupe 1983-1988

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	10	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Front	9	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
	Low	15x8.33	Frt/Rear	21	5.5	70LB-508A55A	70LP-508A55A	71LB-508A55A	71LP-508A55A	72LB-508A55A	72LP-508A55A	76LB-508A55A	76LP-508A55A	77LB-508A55A	77LP-508A55A	79LB-508A55A	79LP-508A55A
Low	15x9.33	Rear only	34	6.5	70LB-509A65A^	70LP-509A65A^	71LB-509A65A^	71LP-509A65A^	72LB-509A65A^	72LP-509A65A^	76LB-509A65A^	76LP-509A65A^	77LB-509A65A^	77LP-509A65A^	79LB-509A65A^	79LP-509A65A^	
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	23	5.4	70LB7080A55A	70LP7080A55A	71LB7080A55A	71LP7080A55A	72LB7080A55A	72LP7080A55A	76LB7080A55A	76LP7080A55A	77LB7080A55A	77LP7080A55A	79LB7080A55A	79LP7080A55A
	Low	17x9.0	Rear only	23	5.9	70LB7090A60A^	70LP7090A60A^	71LB7090A60A^	71LP7090A60A^	72LB7090A60A^	72LP7090A60A^	76LB7090A60A^	76LP7090A60A^	77LB7090A60A^	77LP7090A60A^	79LB7090A60A^	79LP7090A60A^
18"	Low	18x5.0	Front	-13	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	5	4.2	70LB8070A42A	70LP8070A42A	71LB8070A42A	71LP8070A42A	72LB8070A42A	72LP8070A42A	76LB8070A42A	76LP8070A42A	77LB8070A42A	77LP8070A42A	79LB8070A42A	79LP8070A42A
	Low	18x8.0	Frt/Rear	18	5.2	70LB8080A52A	70LP8080A52A	71LB8080A52A	71LP8080A52A	72LB8080A52A	72LP8080A52A	76LB8080A52A	76LP8080A52A	77LB8080A52A	77LP8080A52A	79LB8080A52A	79LP8080A52A
	Low	18x9.0	Rear only	30	6.2	70LB8090A62A^	70LP8090A62A^	71LB8090A62A^	71LP8090A62A^	72LB8090A62A^	72LP8090A62A^	76LB8090A62A^	76LP8090A62A^	77LB8090A62A^	77LP8090A62A^	79LB8090A62A^	79LP8090A62A^

^Denotes removal of quad shocks and exhaust modifications

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - October 2020

WELD

LTD LX/Fox 1984-1985

5x4.5 [A] bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	-17	2.5	70LB-505A25A	70LP-505A25A	71LB-505A25A	71LP-505A25A	72LB-505A25A	72LP-505A25A	76LB-505A25A	76LP-505A25A	77LB-505A25A	77LP-505A25A	79LB-505A25A	79LP-505A25A
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x8.33	Frt/Rear	21	5.5	70LB-508A55A	70LP-508A55A	71LB-508A55A	71LP-508A55A	72LB-508A55A	72LP-508A55A	76LB-508A55A	76LP-508A55A	77LB-508A55A	77LP-508A55A	79LB-508A55A	79LP-508A55A
	Low	15x9.33	Rear only	34	6.5	70LB-509A65A^	70LP-509A65A^	71LB-509A65A^	71LP-509A65A^	72LB-509A65A^	72LP-509A65A^	76LB-509A65A^	76LP-509A65A^	77LB-509A65A^	77LP-509A65A^	79LB-509A65A^	79LP-509A65A^

^Denotes removal of quad shocks and exhaust modifications

17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	23	5.4	70LB7080A55A	70LP7080A55A	71LB7080A55A	71LP7080A55A	72LB7080A55A	72LP7080A55A	76LB7080A55A	76LP7080A55A	77LB7080A55A	77LP7080A55A	79LB7080A55A	79LP7080A55A
	Low	17x9.0	Rear only	23	5.9	70LB7090A60A^	70LP7090A60A^	71LB7090A60A^	71LP7090A60A^	72LB7090A60A^	72LP7090A60A^	76LB7090A60A^	76LP7090A60A^	77LB7090A60A^	77LP7090A60A^	79LB7090A60A^	79LP7090A60A^

^Denotes removal of quad shocks and exhaust modifications

18"	Low	18x5.0	Front	-13	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	5	4.2	70LB8070A42A	70LP8070A42A	71LB8070A42A	71LP8070A42A	72LB8070A42A	72LP8070A42A	76LB8070A42A	76LP8070A42A	77LB8070A42A	77LP8070A42A	79LB8070A42A	79LP8070A42A
	Low	18x7.5	Front	11	4.7	70LB8075A47A	70LP8075A47A	71LB8075A47A	71LP8075A47A	72LB8075A47A	72LP8075A47A	76LB8075A47A	76LP8075A47A	77LB8075A47A	77LP8075A47A	79LB8075A47A	79LP8075A47A
	Low	18x8.0	Frt/Rear	18	5.2	70LB8080A52A	70LP8080A52A	71LB8080A52A	71LP8080A52A	72LB8080A52A	72LP8080A52A	76LB8080A52A	76LP8080A52A	77LB8080A52A	77LP8080A52A	79LB8080A52A	79LP8080A52A
	Low	18x9.0	Rear only	30	6.2	70LB8090A62A^	70LP8090A62A^	71LB8090A62A^	71LP8090A62A^	72LB8090A62A^	72LP8090A62A^	76LB8090A62A^	76LP8090A62A^	77LB8090A62A^	77LP8090A62A^	79LB8090A62A^	79LP8090A62A^

^Denotes removal of quad shocks and exhaust modifications

Torino/Gran Torino/Elite 1972-1976. Ranchero 1972-1979

5x4.5 [A] bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	10	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Front	10	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
	Low	15x8.33	Frt/Rear	-1	4.5	70LB-508A45A	70LP-508A45A	71LB-508A45A	71LP-508A45A	72LB-508A45A	72LP-508A45A	76LB-508A45A	76LP-508A45A	77LB-508A45A	77LP-508A45A	79LB-508A45A	79LP-508A45A

17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	10	4.9	70LB7080A50A	70LP7080A50A	71LB7080A50A	71LP7080A50A	72LB7080A50A	72LP7080A50A	76LB7080A50A	76LP7080A50A	77LB7080A50A	77LP7080A50A	79LB7080A50A	79LP7080A50A
	Low	17x9.0	Rear only	10	5.4	70LB7090A55A	70LP7090A55A	71LB7090A55A	71LP7090A55A	72LB7090A55A	72LP7090A55A	76LB7090A55A	76LP7090A55A	77LB7090A55A	77LP7090A55A	79LB7090A55A	79LP7090A55A

18"	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Frt/Rear	5	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.0	Rear only	-8	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.5	Rear only	-1	5.2	70LB8095A52A	70LP8095A52A	71LB8095A52A	71LP8095A52A	72LB8095A52A	72LP8095A52A	76LB8095A52A	76LP8095A52A	77LB8095A52A	77LP8095A52A	79LB8095A52A	79LP8095A52A

20"	Low	20x7.0	Front	0	4	70LB0070A40A	70LP0070A40A	71LB0070A40A	71LP0070A40A	72LB0070A40A	72LP0070A40A	76LB0070A40A	76LP0070A40A	77LB0070A40A	77LP0070A40A	79LB0070A40A	79LP0070A40A
	Low	20x8.0	Frt/Rear	13	5	70LB0080A50A	70LP0080A50A	71LB0080A50A	71LP0080A50A	72LB0080A50A	72LP0080A50A	76LB0080A50A	76LP0080A50A	77LB0080A50A	77LP0080A50A	79LB0080A50A	79LP0080A50A
	Low	20x9.0	Rear only	0	5	70LB0090A50A	70LP0090A50A	71LB0090A50A	71LP0090A50A	72LB0090A50A	72LP0090A50A	76LB0090A50A	76LP0090A50A	77LB0090A50A	77LP0090A50A	79LB0090A50A	79LP0090A50A
	Low	20x9.5	Rear only	6	5.5	70LB0095A55A	70LP0095A55A	71LB0095A55A	71LP0095A55A	72LB0095A55A	72LP0095A55A	76LB0095A55A	76LP0095A55A	77LB0095A55A	77LP0095A55A	79LB0095A55A	79LP0095A55A

WELD

Fairlane/Torino/GT/Cobra/Ranchero 1968-1971

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number	
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A	
	Low	15x5.33	Front	10	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A	
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A	
	Low	15x7.33	Front	10	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A	
	Low	15x8.33	Frt/Rear	-1	4.5	70LB-508A45A	70LP-508A45A	71LB-508A45A	71LP-508A45A	72LB-508A45A	72LP-508A45A	76LB-508A45A	76LP-508A45A	77LB-508A45A	77LP-508A45A	79LB-508A45A	79LP-508A45A	
Low	15x9.33	Rear only	12	5.5	70LB-509A55A	70LP-509A55A	71LB-509A55A	71LP-509A55A	72LB-509A55A	72LP-509A55A	76LB-509A55A	76LP-509A55A	77LB-509A55A	77LP-509A55A	79LB-509A55A	79LP-509A55A		
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A	
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A	
	Low	17x8.0	Frt/Rear	10	4.9	70LB7080A50A	70LP7080A50A	71LB7080A50A	71LP7080A50A	72LB7080A50A	72LP7080A50A	76LB7080A50A	76LP7080A50A	77LB7080A50A	77LP7080A50A	79LB7080A50A	79LP7080A50A	
	Low	17x9.0	Rear only	10	5.4	70LB7090A55A	70LP7090A55A	71LB7090A55A	71LP7090A55A	72LB7090A55A	72LP7090A55A	76LB7090A55A	76LP7090A55A	77LB7090A55A	77LP7090A55A	79LB7090A55A	79LP7090A55A	
18"	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A	
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A	
	Low	18x8.0	Frt/Rear	5	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A	
	Low	18x9.0	Rear only	5	5.2	70LB8090A52A*	70LP8090A52A*	71LB8090A52A*	71LP8090A52A*	72LB8090A52A*	72LP8090A52A*	76LB8090A52A*	76LP8090A52A*	77LB8090A52A*	77LP8090A52A*	79LB8090A52A*	79LP8090A52A*	

* Denotes the need to relocate rear stabilizer bar, if equipped. Except on the Boss 429

Fairlane/Torino/Ranchero 1966-1967

5x4.5 (A) bolt circle

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	10	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x7.33	Frt/Rear	15	3.5	70LB-507A35A	70LP-507A35A	71LB-507A35A	71LP-507A35A	72LB-507A35A	72LP-507A35A	76LB-507A35A	76LP-507A35A	77LB-507A35A	77LP-507A35A	79LB-507A35A	79LP-507A35A
	Low	15x8.33	Rear only	-5	4.5	70LB-508A45A	70LP-508A45A	71LB-508A45A	71LP-508A45A	72LB-508A45A	72LP-508A45A	76LB-508A45A	76LP-508A45A	77LB-508A45A	77LP-508A45A	79LB-508A45A	79LP-508A45A
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Frt/Rear	11	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Rear only	11	4.9	70LB7080A50A	70LP7080A50A	71LB7080A50A	71LP7080A50A	72LB7080A50A	72LP7080A50A	76LB7080A50A	76LP7080A50A	77LB7080A50A	77LP7080A50A	79LB7080A50A	79LP7080A50A
18"	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Frt/Rear	10	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Rear only	3	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A

This fitment guide applies to vehicles with O.E. suspension/wheel wells and brakes unless otherwise noted.

Other sizes and offsets are available/please call the Sales and Tech Department for more information